TO CONSTRUCT, OPERATE and MAINTAIN UTILITY FACILITIES ON HIGHWAY RIGHT-OF-WAY s.66.0831, 84,08, 85.15, 86.07(2), 86.16, 182,017 and such other applicable Wis. Stats.

1. Applicant (Utility facility owner) Name and Address	2. Work Start Date	3. Work Finish	Date*	6. Location De	escription (1/4 section, section, town, range	: provide plat map or location sketch)
WE Energies					EC28 T20N R17E	(production of the control of the c
800 S Lynndale Ave	4. Is the work due to	o a WisDOT highway i	project?	01111101	2020 12011 1172	
Appleton, WI	☐ Yes ☒	No				
	5. Applicant Work (Order (If any)		7. Work Locati	ion (Check/list all that apply)	8. Highway (Check all that apply)
	3934544			□ Town:	Menasha	☑ WIS 10
Facility Type (Check all that apply): Size (Diarneter, kV, pressure, # fibers, etc.)	12. Proposed Work	Methods (Check all th	nat apply)		e;	□ US
Telecom:		Plow			·,	
⊠ Electric: #2 - 15kv	Casing	☐ Rock blast	ing	☐ City:		☐ Interstate
Gas/Oil:	☐ Open cut	pavement		X Count	y:_Winnebago	
Gas/Oil: Water:	Bore:			13. Work Zone	Description (Check all that apply)	15. Will any appurtenances be
San Sewer:	☐ Hydraulic	(Auger/Jack)		☐ Full ro	ad closure: detour	installed with the facility? (If yes, provide a description
	Pneumat	C (Mole)			ad closure: temporary	and/or specification of each item with this application.)
☐ Transmission ☐ Service: Std	□ Direction:	al 1 (Manually trac	ked)		closure: without flagging	n concroscontrom and accompany
☑ Distribution ☐ Service: Exp	Direction	al 2 (Computer tra-	cked)		closure: with flagging	∐ Yes ⊠ No
10. Facility Orientation (Check all that apply)	☐ Unknown	(At this time)		∠ Lane e ∠ Lane e	encroachment (2 feet or less) ection/roundabout	16. Trans 401 project designation?
11.2	Attach to pole	es/towers:			der/parking lane closure	(For all Major projects, provide a formal erosion control plan
□ Crossing R/W □ Parallel R/W □ Overhead	☐ New ☐ I	Existing 🔲 Gu	ıys**	Off sh	oulder: within clear zone	with this application. See <u>HMM</u> 09-15-55)
Structure attachment					/: outside clear zone	
	(Diameter) (Name	or of existing owner) or all guy wires on plan	sheets)		R/W line: within clear zone	☐ Minor ☐ Major
11. Work Types (Check all that apply)			,	Near F	R/W line: outside clear zone	17. Are any environmental
New construction	Water jett	tility excavatior ing Vacuu	1: 	Not ap	plicable	permits, certifications or approvals required from
Improve/repair existing Removal	□ water jett	mg □ vacuu	111	14. Is the propo	osed facility near a survey monument?	other regulatory agencies? (If yes, provide a copy
Maintenance	Tree/vegetati			(See HMM	the second second	of each item or proof of agency coordination
☐ Discontinued, left in place	Cut and/o		w		all: 1-866-568-2852 or mail: geodetic@dot.wi.gov)	with this application.)
☐ Joint installation	☐ Chemical	y treat		⊠ No ⁵⁻	mail. geodetic@dot.wi.gov)	☐ Yes ☒ No
* NOTE: If the work described is not completed unless authorized 18. Utility Person Responsible for Construction Kathy Meyer 20. Is the utility a member of Diggers Holline? Yes No, provide line-locate in	(Area Cod 920 number	e) Telephone Number 0-380-3413	19, Util	oproved tin ity or Project 24 inderstood ompliance	ne extension. ANY PERMIT IS WITE Emergency Contact I and agreed that approval is with the pertinent statutes, a other jurisdictional agencies,	(Area Code) Telephone Number subject to applicant's swell as any rules and
21. Provide additional project work details, if needed (Co	ntinue on back or inc	lude separate page)	restri	ctive, and	with the Wisconsin Departme	ent of Transportation's
			Utilit	/ Accomm	odation Policy (UAP), current	edition.
			uap.a		ot.gov/Pages/doing-bus/real-es	tate/permits/utility-
			He	rth Hea	nauer	7/1/2016
22. If not employed by applicant, authorized representation	ve's company name a	and address	(Signat	ure of Authorize	ed Representative – If filled via computer,	Brush Script font) (Date)
			Desi			
			(Title a	nd/or print name	9)	*
				380-3355		nauer@we-energies.com
,500kg, T.L.					OWhenhar	rized Representative E-mail Address)
This permit does not transfer a	any land; nor g	ive, grant or co	nvey ar	y land rigi	ht, right in land, nor easemen	t in WisDOT
right-of-way. It is not assignal supersede a permit and reissu	e it to the new	able. II Ownersi Owner upon red	np in a luest a	utility faci nd with sul	iity changes, WisDOT may vo fficient proof of ownership	iid and
		For Wisconsin				
☐ THE UTILITY SHALL NOTIFY WI	sDOT.				NTAL PERMIT PROVISION	Date Application Description
3 DAYS BEFORE STARTING WO	ORK AT:				WINGS or OTHER PAGES	
Region contact, title, office address, telephone number, a					cation required: HMM 09-15	
					cation required: <u>Hivivi 09-15</u> oond required	<u></u>
) i	☐ Joint instal				Date Application Denied
					wnership and/or use)	_
					tion Permit	Permit Issuance Date
		☐ This permi				07/11/2016
				a supoid	iooueu	Permit Extension Date
		Joseph C	Cou	ghlin	Digitally signed by Joseph Coug Date: 2016.07.11 07:35:06 -05'00	

Use this section to provide information that does not fit on front page

WisDOT NOTE:

Send the LCS request to WisDOT for review and approval at the appropriate time in accordance with the following advanced notification guidelines:

- 14 calendar days: Any freeway ramp, lane or shoulder closure; full roadway closure of any state highway (detour involved); closures that may impact oversize/overweight (OSOW) permits.
- 3 business days: Non-freeway lane or shoulder closures.

Contact Josh Falk, (920) 492-7165 or joshua.falk@dot.wi.gov.

Manual tracking is prohibited over traffic lanes. The bore head can be tracked up to the shoulder edge or back of curb.

INDEMNIFICATION

This Applicant shall save and hold the State, its officers, employees, agents, and all private and governmental contractors and subcontractors with the State under Chapter 84 Wisconsin Statutes, harmless from actions of any nature whatsoever (including any by Applicant itself) which arise out of, or are connected with, or are claimed to arise out of or be connected with any of the work done by the Applicant, or the construction or maintenance of facilities by the Applicant, pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way, (1) while the Applicant is performing its work, or (2) while any of the Applicant's property, equipment, or personnel, are in or about such place or the vicinity thereof, or (3) while any property constructed, placed or operated by or on behalf of Applicant remains on the State's property or right-of-way pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way; including without limiting the generality of the foregoing, all liability, damages, loss expense, claims, demands and actions on account of personal injury, death or property loss to the State, its officers, employees, agents, contractors, subcontractors or frequenters; to the Applicant, its employees, agents, contractors, subcontractors, or frequenters; or to any other persons, whether based upon, or claimed to be based upon, statutory (including, without limiting the generality of the foregoing, worker's compensation), contractual, tort, or whether or not caused or claimed to have been caused by active or inactive negligence or other breach of duty by the State, its officers, employees, agents, contractors, subcontractors or frequenters; Applicant, its employees agents, contractors, subcontractors or frequenters; or any other person. Without limiting the generality of the foregoing, the liability, damage, loss, expense, claims, demands and actions indemnified against shall include all liability, damage, loss, expense, claims, demands and actions for damage to any property, lines or facilities placed by or on behalf of the Applicant pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way in the past or present, or that are located on any highway or State property or right-of-way with or without a permit issued by the State, for any loss of data, information, or material; for trademark, copyright or patent infringement; for unfair competition or infringement of personal or property rights of any kind whatever. The Applicant shall at its own expense investigate all such claims and demands, attend to their settlement or other disposition, defend all actions based thereon and pay all charges of attorneys and all other costs and expenses of any kind arising from any such liability, damage, loss, claims, demands and actions.

Any transfer, whether voluntary or involuntary, of ownership or control of any property constructed, placed or operated by or on behalf of the Applicant that remains on the State's property or right-of-way pursuant to this permit shall not release Applicant from any of the indemnification requirements of this permit, unless the State is notified of such transfer in writing. Any acceptance by any other person or entity, whether voluntary or involuntary, of ownership or control of any property constructed, placed or operated by or on behalf of the Applicant that remains on the State's property or right-of-way pursuant to this permit, shall include acceptance of all of the indemnification requirements of this permit by the other person or entity receiving ownership or control.

Notwithstanding the foregoing, a private contractor or subcontractor with the State under Chapter 84 Wisconsin Statutes, that fails to comply with sections 66.0831 and 182.0175 Wisconsin Statutes (2007-2008), remains subject to the payment to the Applicant of the actual cost of repair of intentional or negligent damage by the contractor or subcontractor to any property, lines or facilities placed by or on behalf of the Applicant pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way, and remains subject to payment to the Applicant for losses due to personal injury or death resulting from negligence by the contractor or subcontractor.

Notwithstanding the foregoing, if the State, or its officers, employees and agents, fail to comply with sections 66.0831 and 182.0175 Wisconsin Statutes (2007-2008), the State or its officers, employees and agents, remain subject to the payment to the Applicant of the actual cost of repair of willful and intentional damage by the State, or its officers, employees and agents, to any property, lines or facilities placed by or on behalf of the Applicant pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way, and remain subject to payment to the Applicant for losses due to personal injury or death resulting from negligence by the State, its officers, employees and agents.

No indemnification of private contractors or subcontractors with the State under Chapter 84 Wisconsin Statutes, shall apply in the event of willful and intentional damage by such private contractors or subcontractors to the property, lines and facilities of the Applicant located on the highway right-of-way pursuant to this permit or any other permit issued by the State for the location of property, lines or facilities on highway right-of-way.



SUPPLEMENTAL PERMIT PROVISIONS

For Wisconsin Department of Transportation Utility Facility Permits

Acronyms used in this document:

- BMPs: Best Management Practices
- R/W: Right-of-Way
- UAP: Utility Accommodation Policy
- WisDOT: Wisconsin Department of Transportation

1. GENERAL WORK REQUIREMENTS

- As required by Wisconsin Statute 182.0175, when filing your Diggers Hotline request ensure that this Permit Number is in the Remarks Section of the Diggers Hotline Ticket.
- The Permittee shall bore under all driveways, private entrances, wetlands, culverts, and all roadways.
- The Permittee is responsible for obtaining any permits from the Department of Natural Resources, or any agency that may have an interest in the area impacted by the construction of the utility facility.
- WORK DUE TO A WISDOT HIGHWAY PROJECT. This approved permit constitutes acceptance that the work in this permit is compatible with permit requirements. This approved permit is NOT a Work Plan Approval/Start Work Notice as required by Trans 200.05(07). This approved permit is NOT a Work Plan Approval/Start Work Notice for a non-Trans 220 project. This approved permit does NOT approve or authorize an agreement between WisDOT and the Permittee for compensable work due to a WisDOT highway project.
- 3. **PERMIT TERM.** For as long as the Permittee continues to own, operate and maintain this utility facility within WisDOT R/W in accordance with the terms of its permit and WisDOT's *UAP*, this permit shall be valid.
- 4. **REVOCATION BY WISDOT.** WisDOT may revoke this permit if its own use of the R/W would be facilitated by the full or partial relocation of the Permittee utility facility, and shall provide the Permittee with written notice prior to revocation. At which time WisDOT shall work with the Permittee to find a suitable replacement area on R/W near the terminated location if possible. WisDOT shall not compensate the Permittee to move its utility facility in keeping with WisDOT's policy on compensable / non-compensable utility facility moves.
- 5. **TERMINATION BY PERMITTEE.** The Permittee may terminate this permit upon 60 days written notice to WisDOT. Upon such termination, the Permittee shall either remove its communication cable facility from the R/W, or abandon it in-place provided it does not constitute an environmental hazard.
- 6 **HOLIDAY WORK RESTRICTIONS for 2016.** The Permittee shall not work on May 30, July 4, September 5, and November 24, and December 25.
- WORK-TIME RESTRICTIONS. Weekday work is from sunrise to sunset. Weekend work may be allowed upon prior approval from WisDOT. No work shall take place during nighttime hours unless authorized by WisDOT.
- 8. **TRAFFIC CONTROL**. All work zone traffic control will be in accordance with the Wisconsin Manual on Uniform Traffic Control Devices. Additional guidance is available from WisDOT through a booklet entitled, *Work Zone Safety, Guidelines for Construction, Maintenance, and Utility Operations* or from *UAP* 96.51.
- WORK AREA PROTECTION DURING NON-WORK TIMES. The Permittee may store vehicles, equipment, or materials on the non-freeway R/W provided they are placed as close to the non-freeway R/W line as possible, but no less than 30 feet from the edge of the nearest travel lane. If vehicles, equipment, or materials must be parked or stored within an area that is less than 30 feet from the edge of the nearest travel lanes, appropriate temporary concrete or water-filled barriers, signing, and devices shall be utilized. The Permittee shall ensure that any excavations left open during non-work times are well marked and secured from public intrusion.

The primary objective will be maintenance of a safe traffic and working environment. No operation shall to any extent pose any hazard neither to, nor in any manner influence traffic at any time.

All vehicles used to conduct the work operations will be equipped with conspicuously visible roof-mounted revolving or strobe lights. These lights shall be in operation just prior to and during the time the work operations are being conducted. Hazard warning lights on the vehicles must also be operating.

10. WORK RESTRICTIONS. For the purposes of placement of these facilities, as stated with this permit request, the State security fence shall not be opened or damaged.

11. CLEAR ZONE / DRAINAGE INTERFERENCE. No topsoil or other excavated piles of soil shall be deposited in any manner that interferes with the clear zone or regular drainage patterns within the highway.

As much as possible, all equipment, operations, and spoil material should be situated or accomplished off of the highway.

EROSION CONTROL. The Permittee shall use the appropriate erosion control BMPs to contain soil directly at the site to prevent disturbed soil from getting into nearby waterways and wetlands. All appropriate erosion control devices shall be in place prior to starting construction activities. Temporary seeding shall be used as necessary after rough grading and before completion of the project. The Permittee shall ensure that erosion control BMPs used to protect restored areas remain in place until replacement vegetation achieves sustained growth.

The Permittee shall take all precautions necessary to prevent mud, dirt, or other debris from being deposited onto the shoulder or pavement of all access roads or highways. Any materials deposited on the shoulder or pavement shall be removed immediately. Ruts may remain as is if the Permittee is accessing the R/W from private property, but appropriate erosion control BMPs shall be used to contain disturbed soil at the site.

13. R/W RESTORATION. Upon completion of the project a variation of erosion control measures will be required to restore the area that has been disturbed allowing it to return to the manner it was in previous to the construction. All disturbed sites will require a seed mixture that includes a quick sprouting variety with fertilizer and mulch. Other possibilities that may have to be considered are Geotextile fabric, e-mat, and stone ditch checks.

The Permittee is responsible to assure that erosion control measures used to protect restored areas remain in place until replacement vegetation achieves sustained growth.

The basic drainage pattern of the highway shall remain undisturbed by the permitted work. Upon project completion, all spoils, debris, refuse, and waste resulting from the permitted work shall be removed from the work site. Should future maintenance work on the Permittee's utility facility result in the disturbance of the existing R/W, the Permittee shall restore the R/W to its original condition as soon as possible.

- 14. **NOTIFICATIONS / CONTACTS.** Notify Northeast Region utility coordinator/field inspector, by phone or email, three days prior to the start of construction. Notify Diggers' Hotline 800/242-8511 at least three working days prior to the start of any excavation.
- 15. COMPLETION OF PERMIT. If any part of this permit is violated it is rendered by such act null and void. Any works or operations not in full compliance herewith shall justify an order by any inspecting officer of the Department to cease all further progress on the work, and to accomplish all restorations of disturbed areas, including full restorations of the pavement.

Upon completion of the work, all disturbed areas shall be restored according to requirements stated in the Utility Accommodations Policy, (96.54), and in a manner satisfactory to the District Chief Maintenance Engineer.


Prevent the spread of oak wilt by treating all cut surfaces and abrasions sustained between April 1 and September 30 by healthy oak trees and saplings with a thorough application of tree paint immediately upon discovering a wound. Between these dates, also paint the cut surfaces of the stumps of all healthy oak trees and saplings immediately after cutting, whether remaining in place or grubbed.

This permit approves the installation of facilities as shown on the diagram provided. It is the obligation of the applicant to determine the location of, and avoid any damage to, the pre-existing lines and facilities of others. If the above assigned position is not feasible, an alternate location of facilities shall be approved prior to installing the facilities by contacting the permit coordinator approving the permit. If the facility is later discovered to be at a location other than that designated by the permit you may be required to relocate the facility at your expense.


Date of provisions 3/9/2016

This permit is subject to the attached drawings, these supplemental provisions, and WisDOT's Utility Accommodation Policy. New supplemental provisions may be added, or the existing ones deleted or amended in the future as different issues arise during the installation, operation and maintenance of the permittee's facilities.






WR ENGLAND ELEC WR WI3934544	COMMON INFORMATION STAKING REQUIREMENTS: MAIN / SERVICE IN	EROSION CONTROL LEGEND		
GAS WR CITY TOWN / VILAGE: T - MENASHA	SUNCYON DECONDENS ON THE SERVICE ON THE SERVIC	A R. T. A RATHER ANTHROTORY IN A RESIDENCE OF THE ANTHROTORY IN A		
CUST/PROJ NAME: WI DOT PROJECT LOCATION: USH 10 AND CTH CB	DIRECTION W O			NORTH
WORK DESCRIPTION: NEW 100A DB SERVICE PREPARED BY: HEATH HEMAUFR	PELECTRIC INFORMATION OPER MAP #: 3780-3960-04 FEDERLINE #: FBDM2 CATA IONATISE #: TEL IONATISE #:	VANANA SOI STAILTER TYPE B	(60) RE TAG	
NERGIES. COM ELL #: 920-522-3676 #: 5469	PROPOSED GAS SERVICE INFORMATION		100 Bazz	·25B
ANGE: SW1/4 SEC8, T20N, R17E ED BY: HEATH HEMAUER MEYER 920-380-3512	CONTINGENCIES & COMM DIGGERS HOTLINE / MISS DIG REC WE ENERGIES WILL RESTORE NE PROPERTIES ONLY WE ENERGIES WILL HAUL SPOIL	w & I _ A	WESTCREEK LN RETAG RETAG TO AUDITIOSA TO AUDITION T	
■ PLUMBER/ HVAC: ■ ELECTRICIAN: ■ CUSTOMER: CRAIG SETTERSTEN 920-492-5710 CHITICAL SAFETY RULES — EO: Excavation and shoring Expavation and shoring Fall protection Country out Seat belts Securing parked vehicles	CUSTOMER IS REQUIRED TO LOCATE ALL PRIVATE UNDERGROUND FACILITIES PRIOR TO INSTALLATION. WE ENERGIES IS NOT RESPONSIBLE FOR ROOT DAMAGE WIRE KEY: F16: #2 AL S4:3/0TXR		FBDM2 CIRCUIT DIAGRAM CIRCUIT DIAGRAM NOT FIELD VARIFIED	
MANUFACTURER: KVA: VOLTAGE:			$I = -\frac{JAS}{\varpi}$	\$EITE\$
			2AS G G S JACOBSEN RD	SJMILS
	CUSTOMER'S SIGNATURE OF APPROVAL DATE		В	SHEET NO.



Work on Shoulder or Parking Lane



Notes

- 1. Encroachment into the traffic lane is allowable, but a 10-foot minimum travel lane width should be maintained. A lane closure should be considered if there is encroachment on roads with speeds greater than 35 mph, or for other conditions where workers, equipment, or the work activity would benefit from the lateral buffer (see pages 22 and 23).
- 2. If there is encroachment into the traffic lane, a ROAD NARROWS sign may be used instead of SHOULDER WORK. For roads with low volume, the SHOULDER WORK or ROAD NARROWS sign can be omitted.
- 3. For short duration work (60 minutes or less), the channelizing devices may be omitted if a vehicle with activated high intensity lights is used. For short duration work with no lane encroachment, the signs may also be omitted.
- 4. Workers, UTILITY WORK AHEAD, SHOULDER WORK AHEAD, or SURVEY CREW signs may be used instead of SHOULDER WORK or ROAD WORK AHEAD.
- 5. When work area is at least 2' from traffic lane on roads with low volume and speeds of 35 mph or less, the sign on opposite side can be omitted.





August 9, 2019

WE ENERGIES CLAIMS – A145 P O BOX 1132 MILWAUKEE WI 53201-1132

RE:

WCMIC Insured:

Winnebago County

Claimant:

We Energies

Date of Incident:

June 18, 2019

Claim number:

185999-22202

Damage Claim #:

201993967

Aegis Corporation is the General Administrator for Wisconsin County Mutual Insurance Corporation, which insures Winnebago County under a policy of general liability coverage applicable to the above captioned date of loss.

Our principal, Wisconsin County Mutual Insurance Corporation, has requested that we advise you that upon completion of the review of your claim, they find your claim does not qualify for payment. Therefore we will be unable to assist you with any settlement of damages or costs which you may have sustained in the above captioned claim.

The pedestal in question was not marked and was covered in overgrowth. As such, our principal regrets that it must decline any claim resulting from this incident, but finds that there is no liability on the part of their insured Winnebago County.

We regret that we could not assist you in this matter.

Sincerely,

Wisconsin County Mutual Insurance Corporation

Received Claims Department

AUG 1 2 2019

Laurie A Miskanis-Cisewski Senior Field Claims Examiner

Aegis Corporation

cc: Winnebago County



MILMAUREE WIED TO ALIG 2019 PM 11

Laurie A. Miskanis-Cisewski, Senior Claims Professional P.O. Box 63 | Custer, WI 54423-0063

ADDRESS SERVICE REQUESTED

53201-113232

վորիկիիվովիակիկիկիկիկինիուկունիկին