Executive Summary

This research provides valuable behavioral data, lifestyle habits, and the prevalence of risk factors and disease conditions of Tri-County residents (Calumet, Outagamie and Winnebago Counties). The following data are highlights of the comprehensive study. Please see the full report for details.

	Tri-County			WI	US
General Health	2011	2015	2018	2016	2016
Overall Health					
Excellent/Very Good ^{A,B}	56%	53%	42%	NA	NA
Good	31%	32%	43%	NA	NA
Fair or Poor	13%	14%	16%	16%	16%
At Least Three Physically Unhealthy Days in Past Month	24%	27%	27%	NA	NA
At Least Three Mentally Unhealthy Days in Past Month ^A	24%	28%	31%	NA	NA
At Least Three Physically/Mentally Unhealthy Days					
Prevented Usual Activities in Past Month	15%	19%	18%	NA	NA

	Tr	Tri-County			US
Health Care Coverage	2011	2015	2018	2016	2016
Currently No Health Care Coverage					
18 Years Old and Older [HP2020 Goal: 0%] ^{A,B}	9%	4%	<1%	9%	10%
18 to 64 Years Old [HP2020 Goal: 0%] ^{A,B}	10%	5%	1%	10%	12%
Unmet Care in Past Year (Household Member)					
Medical Care [HP2020 Goal: 4%]			6%	NA	NA
Dental Care [HP2020 Goal: 5%]			8%	NA	NA
Mental Health Care			3%	NA	NA
Have a Primary Care Physician [HP2020 Goal: 84%] ^A	88%		91%	NA	NA
Advance Care Document or Conversation			67%	NA	NA
Advance Directive Document for Health Care			45%	NA	NA
Conversation with Trusted Person about Health Care Wishes if					
Unable to Speak for Self			50%	NA	NA

	Tri-County			WI	US
Routine Procedures	2011	2015	2018	2016	2016
Routine Checkup (2 Years Ago or Less) ^B	84%	88%	91%	84%	84%
Respondents with a Routine Checkup in Past 2 Years					
HCP Inquired about Alcohol Consumption ^B		65%	83%	NA	NA
Advised to Quit or Reduce Alcohol Consumption (Of HCP Inquiries)		7%	5%	NA	NA
Dental Checkup (Past Year) [HP2020 Goal: 49%]	79%	78%	77%	73%	66%

	Т	Tri-County			US
Health Conditions in Past 3 Years	2011 ¹	2015 ¹	2018	2016	2016
High Blood Pressure	26%	26%	25%	NA	NA
High Blood Cholesterol ^B	26%	30%	24%	NA	NA
Mental Health Condition		24%	21%	NA	NA
Diabetes	8%	8%	10%	NA	NA
Heart Disease/Condition			8%	NA	NA
Asthma (Current) ^B		15%	9%	9%	9%

--Not asked or worded differently. NA-Wisconsin and/or US comparison data not available.

¹In 2011 and 2015, time frame was "ever".

^ATri-County statistical change from 2011 to 2018. ^BTri-County statistical change from 2015 to 2018.

	Тт	·i-Coun	tv	WI	US
Financial Factors Affecting Health in Past Year	2011	2015	2018	2016	2016
Worried/Stressed About Having Enough Money for Rent, Mortgage or	2011	2010	2010	2010	2010
Utilities (Always/Usually)		14%	14%	NA	NA
Food Didn't Last and Unable to Purchase More		11/0	11/0	1111	1111
(Often True/Sometimes True)		11%	13%	NA	NA
		11/0	1370	1111	1111
	т.	: Cours	4	WI	US
Mental Health Status	2011	ri-Coun 2015	2018	2016	2016
Get Social/Emotional Support Needed (Rarely/Never)	6%	8%	6%	NA	NA
Stress Because Mind is Troubled in Past Month	0%	070	070	IVA	IVA
(All the Time/Most of the Time)			1504	NIA	NIA
Considered Suicide in Past Year			15% 8%	NA NA	NA NA
Considered Suicide in Past Tear			8%	NA	IVA
		ri-Coun	-	WI	US
Physical Health	2011	2015	2018	2016	2016
Overweight Status					
Overweight/Obese (BMI 25.0+) [HP2020: 66%]	66%	65%	67%	67%	65%
Obese (BMI 30.0+) [HP2020: 31%] ^A	30%	32%	35%	31%	30%
Physical Activity/Week					
Moderate Activity (5 Times/30 Min) ^B		22%	33%	$42\%^{1}$	<i>33%</i> ¹
Vigorous Activity (3 Times/20 Min)		28%	25%	31% ³	29% ³
Recommended Moderate or Vigorous		40%	44%	53% ³	51% ³
Major Reasons Not Participate in Physical Activity More (Of					
Respondents Who Did Not Meet Recommendation)					
Difficult to Motivate Self			24%	NA	NA
Not Enough Time to Exercise			24%	NA	NA
Inconvenient			11%	NA	NA
			11%	NA	NA
Boring			1170	IVA	IVA
<u> </u>				r	
		ri-Coun		WI	US
Nutrition	2011	2015	2018	2016	2016
Fruit Intake (2+ Servings/Day) ^{A,B}	54%	60%	48%	NA	NA
Vegetable Intake (3+ Servings/Day) ^A	26%	33%	31%	NA	NA
At Least 5 Fruit/Vegetables/Day ^B	30%	39%	29%	$23\%^{3}$	$23\%^{3}$
Sugar Drink (1+ Drinks/Day/Past Month)			30%	NA	NA
Non-Work Screen Time (4+ Hours/Day)		36%	30%	NA	NA
Sleep in Past 24 Hours (7+ Hours) [HP2020 Goal: 71%]		67%	65%	NA	NA
Family Meals (Households with More than 1 Person;					
5+ Meals/Week) ^B		64%	59%	NA	NA
	Т	·i-Coun	tv	WI	US
Alcohol Use in Past Month	2011	2015	2018	2016	2016
Heavy Drinker (Female 31+ Drinks; Male 61+ Drinks)	2011	2013	10%	$\frac{2010}{7\%^2}$	$5\%^2$
	220/4	200/4			
Binge Drinker (Female 4+ Drinks; Male 5+ Drinks on an Occasion) ^B	23%4	20%4	25%	25%	17%
Excessive Drinker (Either Heavy or Binge Drinker) [HP2020 Goal: 25%] ^B	23% ⁵	20% ⁵	2604	774	7.4
	1.1%	20%	26%	NA	NA

	Driven When Perhaps Had Too Much to Drink ^{A,B}	3%	5%	1%	NA	NA
--	--	----	----	----	----	----

--Not asked or worded differently. NA-Wisconsin and/or US comparison data not available. ¹2005 WI and US Data; ²2007 WI and US Data; ³2009 WI and US Data.

⁴In 2011 and 2015, binge drinking was defined as 5 or more drinks on an occasion, regardless of gender.

⁵In 2011 and 2015, heavy drinking was not asked. As a result, 2010/11 and 2015 percentages include binge drinking only.

^ATri-County statistical change from 2011 to 2018. ^BTri-County statistical change from 2015 to 2018.

	Tri-County			WI	US
Tobacco Use	2011	2015	2018	2016	2016
Current Use (Every Day/Some Days)					
Tobacco Cigarette Smoker [HP2020 Goal:12%] ^{A,B}	18%	16%	12%	17%	17%
Smokeless Tobacco [HP2020 Goal: 0.2%]	3%	3%	4%	4%	4%
Electronic Cigarettes/Vaping		5%	5%	5%	5%
Of Current Tobacco Cigarette Smokers					
Quit Smoking 1 Day or More in Past Year Because Trying to Quit					
[HP2020 Goal: 80%]	59%	51%	48%	$49\%^{1}$	56% ¹
Someone Smokes in Household or Vehicle					
[HP2020 Goal: 13%] ^A	15%		7%	NA	NA

	Tri-County			WI	US
Household Problems Associated With	2011	2015	2018	2016	2016
Alcohol (Past Year) ^A	4%		2%	NA	NA
Misuse of Prescription or Over-the-Counter Drugs (Past Year)			2%	NA	NA

	Tri-County			WI	US
Firearms in Household	2011	2015	2018	2002	2002
Firearm in House/Garage		-	43%	44%	33%
Firearm Loaded (All Households)			9%	3%	8%
Loaded Firearm Also Unlocked (All Households)			3%	2%	4%
Of Households with a Firearm					
Loaded Firearm Also Unlocked		-	7%	5%	13%

	Tri-County			WI	US
Personal Safety in Past Year	2011	2015	2018	2016	2016
At Least One Personal Safety Issue			10%	NA	NA
Afraid for Safety			8%	NA	NA
Pushed, Kicked, Slapped, or Hit			4%	NA	NA
Felt Extremely Unsafe/Unsafe from Crime in Neighborhood			2%	NA	NA

	Tri-County			WI	US
Top Community Health Issues	2011	2015	2018	2016	2016
Overweight or Obesity			22%	NA	NA
Chronic Diseases			21%	NA	NA
Illegal Drug Use			18%	NA	NA
Access to Health Care			17%	NA	NA
Cancer			17%	NA	NA
Mental Health or Depression			15%	NA	NA
Alcohol Use or Abuse			14%	NA	NA
Infectious Diseases			13%	NA	NA

Prescription or Over-the-Counter Drug Abuse	 	9%	NA	NA
Affordable Health Care	 	8%	NA	NA
Access to Affordable Healthy Food	 	6%	NA	NA
Lack of Physical Activity	 	5%	NA	NA

--Not asked or worded differently. NA-Wisconsin and/or US comparison data not available. ¹2005 WI and US Data.

^ATri-County statistical change from 2011 to 2018. ^BTri-County statistical change from 2015 to 2018.

Children in Household	Tri-County	
	2015 ¹	2018 ¹
Personal Doctor/Nurse Who Knows Child Well and Familiar with History	96%	95%
Visited Personal Doctor/Nurse for Preventive Care in Past Year (Children		
Who Have a Personal Doctor/Nurse)	96%	97%
Did Not Receive Specialist Care Needed (Past Year)	3%	0%
Used New Parent Programs for Child	23%	12%
Health Conditions		
Asthma	10%	6%
Diabetes	2%	<1%
Extremely Unsafe/Unsafe in Community/Neighborhood		<1%
Fruit Intake (2+ Servings/Day)	82%	73%
Vegetable Intake (3+ Servings/Day)	31%	23%
5+ Fruit/Vegetables per Day	50%	40%
Sugar Drink in Past Month		
Less Than One/Day, but More Than One/Week		38%
At Least One per Day		15%
Screen Time		
2 or 3 Hours/Day		38%
4 or More Hours/Day		18%
Sleeping Location when an Infant		
Crib or Bassinette	89%	94%
In Bed with Adult	2%	3%
Children 4 to 17 Years Old		
Physical Activity (60 Min./5 or More Days/Week)	50%	63%
Unhappy, Sad or Depressed in Past 6 Months (Always/Nearly Always)	5%	6%
Experienced Bullying in Past Year	18%	24%
Verbally Bullied	13%	21%
Physically Bullied	4%	7%
Cyber Bullied	<1%	3%

--Not asked or worded differently.

¹In 2015, survey included children 12 years old or younger. In 2018, survey included children 17 or younger. ^ATri-County statistical change from 2015 to 2018.

General Health

In 2018, 42% of Tri-County respondents reported their health as excellent or very good; 16% reported fair or poor. Respondents 55 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were overweight/obese, inactive or smokers were more likely to report fair

or poor health. Twenty-seven percent of respondents reported in the past month their physical health was not good for at least three days; respondents 35 to 44 years old, 55 to 64 years old, with a high school education or less, in the bottom 40 percent household income bracket, who were overweight/obese, inactive or did not excessively drink were more likely to report this. Thirty-one percent of respondents reported in the past month their mental health was not good for at least three days; respondents 18 to 34 years old, with some post high school education, in the bottom 40 percent household income bracket, who were unmarried, smokers or excessively drank were more likely to report this. Eighteen percent of all respondents reported during the past month poor physical or mental health kept them from doing their usual activities for at least three days. Respondents who were female, 35 to 44 years old, with some post high school education, in the bottom 40 percent household income bracket, who were unmarried, not overweight/obese, inactive or smokers were more likely to report at least three unhealthy days kept them from usual activities in the past month. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported their health as fair or poor, as well as from 2015 to 2018. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported at least three physically unhealthy days in the past month, as well as from 2015 to 2018. From 2011 to 2018, there was a statistical increase in the overall percent of respondents who reported at least three mentally unhealthy days in the past month while from 2015 to 2018, there was no statistical change. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported at least three unhealthy days kept them from usual activities in the past month, as well as from 2015 to 2018.

Health Care Coverage and Information

In 2018, less than one percent of Tri-County respondents reported they were not currently covered by health care insurance. Six percent of respondents reported there was a time in the past year someone in their household did not receive the medical care needed; married respondents were more likely to report this. Eight percent of respondents reported there was a time in the past year someone in their household did not receive the dental care needed; respondents who were in the bottom 40 percent household income bracket, unmarried or in households without children were more likely to report this. Three percent of respondents reported there was a time in their household did not receive the mental health care needed. *From 2011 to 2018, the overall percent statistically decreased for respondents 18 and older or 18 to 64 years old who reported no current personal health care coverage, as well as from 2015 to 2018.*

In 2018, 91% of Tri-County respondents reported they have a personal care physician they think of as their personal doctor or health care provider; respondents who were female, 65 and older, in the bottom 60 percent household income bracket or married were more likely to report a personal care physician. Forty-five percent of respondents reported they had an Advance Directive for Health Care document. Fifty percent of respondents reported in the past year they had a conversation with family, friends or other persons they trust about their wishes for heath care if they are unable to speak for themselves. A total of 67% completed the document or had a conversation with a trusted person; respondents who were female, 65 and older, white or married were more likely to report at least one. *From 2011 to 2018, there was a statistical increase in the overall percent of respondents reporting they have a doctor, nurse practitioner, physician assistant or primary care clinic they think of as their personal doctor or health care provider.*

Routine Procedures

In 2018, 91% of Tri-County respondents reported a routine medical checkup two years ago or less. Respondents who were female, 55 and older, with a high school education or less, with a college education or married respondents were more likely to report a routine checkup two years ago or less. Eighty-three percent of respondents who had a routine checkup in the past two years reported their health care provider inquired about their alcohol consumption. Respondents 18 to 34 years old, with a college education, in the top 40 percent household income bracket or who drank excessively in the past month were more likely to report their provider inquired about their alcohol consumption. Five percent of respondents who were asked

about their alcohol consumption were advised to reduce or quit their drinking. Respondents who were in the bottom 40 percent household income bracket, unmarried or drank excessively in the past month were more likely to report they were advised to reduce or quit their drinking. Seventy-seven percent of respondents reported a visit to the dentist in the past year; respondents who were female, 45 to 64 years old, with a college education, in the top 40 percent household income bracket or married respondents were more likely to report this. *From 2011 to 2018, there was a statistical increase in the overall percent of respondents reporting a routine checkup, as well as from 2015 to 2018. From 2015 to 2018, there was a statistical change in the overall percent of respondents reporting their health care provider asked about their alcohol use. From 2015 to 2018, there was no statistical change in the overall percent of respondents reporting their health care provider advised them to quit or lessen their alcohol use at their last routine checkup. <i>From 2011 to 2018, there was no statistical change in the overall percent of respondents reporting their health care provider advised them to quit or lessen their alcohol use at their last routine checkup. From 2011 to 2018, there was no statistical change in the overall percent of respondents reporting a dental checkup, as well as from 2015 to 2018.*

Health Conditions

In 2018, out of six health conditions listed, the most often mentioned in the past three years was high blood pressure (25%) or high blood cholesterol (24%) in the Tri-County region. Respondents who were male, 65 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were overweight/obese or inactive were more likely to report high blood pressure. Respondents 65 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were married, overweight/obese, inactive or did not excessively drink in the past month were more likely to report high blood cholesterol. Twenty-one percent reported a mental health condition; respondents who were female, 18 to 34 years old, with some post high school education, in the bottom 40 percent household income bracket or who were smokers were more likely to report this. Ten percent of respondents reported diabetes. Respondents 65 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were overweight/obese, inactive or did not excessively drink in the past month were more likely to report diabetes. Eight percent reported they were treated for, or told they had heart disease/condition in the past three years; respondents who were male, 65 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were overweight/obese, inactive or did not excessively drink in the past month were more likely to report this. Nine percent reported current asthma; respondents who were female or in the bottom 40 percent household income bracket were more likely to report current asthma. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported high blood pressure or diabetes, as well as from 2015 to 2018. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported high blood cholesterol while from 2015 to 2018, there was a statistical decrease. From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported a mental health condition. From 2015 to 2018, there was a statistical decrease in the overall percent of respondents who reported current asthma.

Financial Factors Affecting Health

In 2018, 14% of Tri-County respondents reported they always or usually worried or stressed about having enough money to pay rent, mortgage or utility bills in the past year; respondents who were 35 to 44 years old, nonwhite, with a high school education or less, in the bottom 40 percent household income bracket or unmarried respondents were more likely to report this. Thirteen percent of respondents reported in the past year it was often or sometimes true that the food they bought just didn't last, and they didn't have money to get more; respondents who were 18 to 44 years old, nonwhite, with some post high school education, in the bottom 40 percent household income bracket, who were unmarried or with children in the household were more likely to report this. *From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported in the past year they always/usually worried or stressed about having enough money to pay rent, mortgage/utility bills or it was often/sometimes true that the food they bought just didn't last, and they didn't have money to get more.*

Mental Health Status

In 2018, 6% of Tri-County respondents reported they rarely/never get the social and emotional support they need; respondents who were 35 to 44 years old, nonwhite, with some post high school education or less or unmarried respondents were more likely to report this. Fifteen percent of respondents reported they felt stress all of the time/most of the time in the past month; respondents 18 to 34 years old, with some post high school education or less, in the bottom 40 percent household income bracket or unmarried respondents were more likely to report this. Eight percent of respondents felt so overwhelmed they considered suicide in the past year; respondents who were female, 18 to 34 years old, with some post high school education, unmarried or in households with children were more likely to report this. *From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported they rarely/never get the social and emotional support they need, as well as from 2015 to 2018.*

Physical Health

In 2018, 33% of Tri-County respondents did moderate physical activity five times a week for 30 minutes. Twenty-five percent of respondents did vigorous activity three times a week for 20 minutes. Combined, 44% met the recommended amount of physical activity; respondents 18 to 34 years old, with a college education, in the top 40 percent household income bracket or who were not overweight/obese were more likely to report this. Twenty-four percent of respondents each reported it is difficult to motivate self to exercise or there is not enough time to exercise as their major reason for not participating in physical activities more often. Respondents who were 45 to 54 years old, married or overweight/obese were more likely to report it is difficult to motivate self to exercise. Respondents 18 to 44 years old, with a college education, in the top 40 percent household income bracket, who were married or with children in the household were more likely to report there is not enough time to exercise. Eleven percent of respondents each reported it is inconvenient to exercise or it is boring/not enjoyable. Respondents who were 45 to 54 years old or nonwhite were more likely to report it is inconvenient to exercise. Respondents in households without children were more likely to report exercise is boring/not enjoyable. Ten percent reported they are afraid of getting injured or they were injured recently as a major reason for not participating in physical activities more often; respondents 55 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were unmarried or overweight/obese were more likely to report this. Five percent reported they do not have parks, sidewalks, bicycle trails, or safe and pleasant walking paths convenient to their home/office as a major reason for not participating in physical activities more often; respondents who were female, in the bottom 40 percent household income bracket or without children in the household were more likely to report this. Four percent of respondents reported they do not have encouragement, support or companionship from family/friends as a major reason; respondents in the bottom 60 percent household income bracket or without children in the household were more likely to report this. Three percent reported they are not confident in being physically active or how to manage progress; respondents 65 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were unmarried or without children in the household were more likely to report this. From 2015 to 2018, there was a statistical increase in the overall percent of respondents who reported moderate physical activity five times a week for at least 30 minutes. From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported vigorous physical activity three times a week for at least 20 minutes. From 2015 to 2018, there was no statistical change in the overall percent of respondents who met the recommended amount of physical activity.

In 2018, 67% of Tri-County respondents were classified as at least overweight while 35% were obese. Respondents who were male, 55 to 64 years old, in the top 40 percent household income bracket, married or inactive were more likely to be classified as at least overweight. Respondents who were 55 to 64 years old, nonwhite, with a high school education or less or inactive were more likely to be obese. *From 2011 to 2018, there was no statistical change in the overall percent of respondents being at least overweight, as well as from 2015 to 2018. From 2011 to 2018, there was a statistical increase in the overall percent of respondents being obese while from 2015 to 2018, there was no statistical change.*

Nutrition

In 2018, 48% of Tri-County respondents reported two or more servings of fruit while 31% reported three or more servings of vegetables on an average day. Respondents who were female, 18 to 34 years old, 55 to 64 years old, with a college education, in the top 40 percent household income bracket, who were not overweight/obese or met the recommended amount of physical activity were more likely to report at least two servings of fruit. Respondents who were female, 18 to 34 years old, with a college education, in the top 40 percent household income bracket, who were married, not overweight/obese or met the recommended amount of physical activity were more likely to report at least three servings of vegetables on an average day. Twenty-nine percent of respondents reported five or more servings of fruit/vegetables on an average day; respondents who were female, with a college education, in the top 40 percent household income bracket, who were married, not overweight/obese or met the recommended amount of physical activity were more likely to report this. Thirty percent of respondents reported they drank at least one sugared drink per day in the past month; respondents who were male, 18 to 44 years old, with some post high school education or inactive respondents were more likely to report this. Fifty-nine percent of respondents reported all or most of their family ate together at last five times during the past week; married respondents were more likely to report this. From 2011 to 2018, there was a statistical decrease in the overall percent of respondents who reported at least two servings of fruit, as well as from 2015 to 2018. From 2011 to 2018, there was a statistical increase in the overall percent of respondents who reported at least three servings of vegetables while from 2015 to 2018, there was no statistical change. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported at least five servings of fruit/vegetables while from 2015 to 2018, there was a statistical decrease. From 2015 to 2018, there was a statistical decrease in the overall percent of respondents who reported all or most of their family had a meal together at least five times in the past week.

Screen Time and Sleep

In 2018, 30% of Tri-County respondents reported at least four hours of screen time a day; respondents 65 and older, with a high school education or less, in the bottom 40 percent household income bracket, who were unmarried, overweight/obese or inactive were more likely to report this. Sixty-five percent of respondents reported they get at least seven hours of sleep in a 24-hour period; respondents who were female, 65 and older, white, with a college education, who were not overweight/obese, met the recommended amount of physical activity or without children in the household were more likely to report this. *From 2015 to 2018, there was a statistical <u>decrease</u> in the overall percent of respondents who reported at least four hours of screen time a day. <i>From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported at least seven hours of sleep in a 24-hour period*.

Alcohol Use

In 2018, 70% of Tri-County respondents had an alcoholic drink in the past month. Ten percent of all respondents were heavy drinkers (females 31+ drinks and males 61+ drinks) while 25% were binge drinkers (females 4+ drinks on an occasion and males 5+ drinks on an occasion). Respondents 18 to 34 years old, with some post high school education or unmarried respondents were more likely to be heavy drinkers. Respondents who were male, 18 to 34 years old, with some post high school education, in the top 60 percent household income bracket or unmarried respondents were more likely to have binged at least once in the past month. Combined, this equals 26% who were excessive drinkers in the past month (either heavy or binge drinker). Respondents who were male, 18 to 34 years old, nonwhite, with some post high school education, in the top 60 percent household income bracket, who were unmarried or whose health care provider inquired about their alcohol consumption were more likely to be excessive drinkers. One percent of respondents reported in the past month they had driven a vehicle when they perhaps had too much to drink. From 2011 to 2018, there was no statistical change in the overall percent of respondents who reported binge drinking or excessive drinking in the past month while from 2015 to 2018, there was a statistical increase. Please note: in 2018, binge drinking was defined as 4+ drinks for females and 5+drinks for males on an occasion while in 2011 and 2015 it was 5+ drinks regardless of gender. In addition, in 2018 excessive drinking included heavy drinking or binge drinking while in 2011 and 2015, it only includes binge drinking. From 2011 to 2018, there was a statistical decrease in the overall percent of respondents who reported in the past month they drove a vehicle when they perhaps had too much to drink, as well as from 2015 to 2018.

Tobacco Use

In 2018, 12% of Tri-County respondents were current tobacco cigarette smokers; respondents 45 to 54 years old, with some post high school education or less, in the bottom 40 percent household income bracket or unmarried respondents were more likely to be a smoker. In the past year, 48% of current smokers quit smoking for one day or longer because they were trying to quit. *From 2011 to 2018, there was a statistical <u>decrease</u> in the overall percent of respondents who were current tobacco cigarette smokers, as well as from 2015 to 2018. From 2011 to 2018, there was no statistical change in the overall percent of current tobacco cigarette smokers who quit smoking for at least one day because they were trying to quit, as well as from 2015 to 2018.*

In 2018, 7% of Tri-County respondents reported they or someone in the household smoked cigarettes, cigars or pipes inside their home or vehicle; respondents who were in the bottom 60 percent household income bracket or unmarried were more likely to report this. *From 2011 to 2018, there was a statistical* <u>decrease</u> in the overall percent of respondents reporting they or someone in their household smoked cigarettes, cigars or pipes inside their home or vehicle.

In 2018, 4% of Tri-County respondents currently used smokeless tobacco (every day or some days); respondents who were male, 18 to 34 years old or in the top 60 percent household income bracket were more likely to report this. Five percent of respondents currently used electronic cigarettes (every day or some days); respondents 18 to 34 years old, with a high school education or less, in the middle 20 percent household income bracket or unmarried respondents were more likely to report this. *From 2011 to 2018, there was no statistical change in the overall percent of respondents who currently used smokeless tobacco, as well as from 2015 to 2018. From 2015 to 2018, there was no statistical change in the overall percent of respondents no statistical change in the overall percent of respondents who currently used smokeless tobacco, as well as from 2015 to 2018. From 2015 to 2018, there was no statistical change in the overall percent of respondents.*

Household Problems

In 2018, 2% of Tri-County respondents each reported in the past year, someone in their household experienced a problem, such as legal, social, personal or physical in connection with drinking alcohol or in connection with the misuse of prescription drugs/over-the-counter drugs. *From 2011 to 2018, there was a*

statistical <u>decrease</u> in the overall percent of respondents reporting a household problem in connection with drinking alcohol.

Firearms in Household

In 2018, 43% of Tri-County households had a firearm in or around the home; respondents who were in the top 40 percent household income bracket, married or in households with children were more likely to report this. Of all households, 9% had a loaded firearm; respondents who were in the top 40 percent household income bracket or married were more likely to report this. Three percent of all households had a firearm loaded and unlocked.

Personal Safety

In 2018, 8% of Tri-County respondents reported someone made them afraid for their personal safety in the past year; respondents who were 18 to 34 years old, in the middle 20 percent household income bracket or unmarried were more likely to report this. Four percent of respondents reported they had been pushed, kicked, slapped or hit in the past year; respondents who were 18 to 34 years old, nonwhite, with some post high school education, in the middle 20 percent household income bracket or unmarried respondents were more likely to report this. A total of 10% reported at least one of these two situations; respondents who were 18 to 34 years old, nonwhite or unmarried were more likely to report this. Two percent of respondents reported their neighborhood was unsafe or extremely unsafe from crime.

Children in Household

In 2018, the Tri-County respondent was asked if they make health care decisions for children living in the household. If yes, they were asked a series of questions about the health and behavior of one of the children. Ninety-five percent of respondents reported they have one or more persons they think of as their child's personal doctor or nurse, with 97% reporting their child visited their personal doctor or nurse for preventive care during the past year. Zero percent reported there was a time in the past year their child was not able to visit a specialist they needed to see. Twelve percent of respondents reported their child was helped by new parent programs. Six percent of respondents reported their child currently had asthma. Less than one percent of respondents reported their child currently had diabetes. Less than one percent of respondents reported their child was unsafe or extremely unsafe in their community. Three percent of respondents reported when their child was an infant, he/she slept in a bed with them or another person. Seventy-three percent of respondents reported their child ate at least two servings of fruit on an average day while 23% reported three or more servings of vegetables. Forty percent of respondents reported their child ate five or more servings of fruit/vegetables on an average day. Fifteen percent of respondents reported their child drank at least one sugared drink a day during the past month. Sixty-three percent of respondents reported their 4 to 17 year old child was physically active five times a week for 60 minutes. Eighteen percent of respondents reported their child spent four or more hours of screen time on an average day. Six percent of respondents reported their 4 to 17 year old child always or nearly always felt unhappy, sad or depressed in the past six months. Twenty-four percent reported their 4 to 17 year old child experienced some form of bullying in the past year; 21% reported verbal bullying, 7% physical bullying and 3% reported cyber bullying. From 2015 to 2018, there was no statistical change in the overall percent of respondents reporting their child had a personal doctor or nurse. From 2015 to 2018, there was no statistical change in the overall percent of respondents reporting their child visited their personal doctor/nurse for preventive care. From 2015 to 2018, there was a statistical decrease in the overall percent of respondents reporting in the past year their child was unable to see a specialist when needed. From 2015 to 2018, there was a statistical <u>decrease</u> in the overall percent of respondents reporting they were helped by new parent programs. From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported their child currently had asthma or diabetes. From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported when their child was an infant, he/she slept in a bed with them or another person. From 2015 to 2018, there was a statistical decrease in the overall percent of respondents who reported their child ate at least two servings of fruit,

ate at least three servings of vegetables or met the recommendation of at least five servings of fruit/vegetables per day. From 2015 to 2018, there was a statistical increase in the overall percent of respondents who reported their 4 to 17 year old child was physically active five times a week for at least 60 minutes. From 2015 to 2018, there was no statistical change in the overall percent of respondents who reported their 4 to 17 year old child always or nearly always felt unhappy/sad/depressed. From 2015 to 2018, there was no statistical percent of respondents who reported in the past year their child was bullied overall, physically bullied or cyber bullied. From 2015 to 2018, there was a statistical increase in the overall percent of respondents who reported in the past year their child was bullied overall percent of respondents who reported in the overall percent of respondents who reported in the past year their child was bullied overall percent of respondents who reported in the overall percent of respondents who reported in the past year their child was bullied.

Top Community Health Issues

In 2018, Tri-County respondents were asked to list the top three health issues in the area. The most often cited was overweight/obesity (22%). Respondents 18 to 34 years old, with a college education or in the top 40 percent household income bracket were more likely to report overweight/obesity as a top health issue. Twenty-one percent of respondents were more likely to report chronic diseases as a top health issue; respondents with a college education or in the top 60 percent household income bracket were more likely to report this. Eighteen percent reported illegal drug use as a top health issue; respondents with a college education, in the bottom 40 percent household income bracket or in the top 40 percent household income bracket were more likely to report this. Seventeen percent of respondents reported access to health care as a top health issue. Respondents 35 to 44 years old, with some post high school education or married respondents were more likely to report access to health care. Seventeen percent of respondents reported cancer; respondents who were 18 to 34 years old, 65 and older or white were more likely to report this. Fifteen percent of respondents reported mental health or depression. Respondents who were female, 18 to 34 years old, nonwhite, with a college education or in the middle 20 percent household income bracket were more likely to report mental health or depression. Fourteen percent of respondents reported alcohol use or abuse as a top health issue; respondents 18 to 34 years old, with a college education or in the top 40 percent household income bracket were more likely to report this. Thirteen percent of respondents reported infectious diseases. Nine percent of respondents reported prescription or over-the-counter drug abuse; respondents 45 to 54 years old, with at least some post high school education or in the middle 20 percent household income bracket were more likely to report this. Eight percent of respondents reported affordable health care. Respondents who were female or in the top 40 percent household income bracket were more likely to report affordable health care. Six percent of respondents reported access to affordable healthy food. Respondents 35 to 54 years old, with a college education or in the middle 20 percent household income bracket were more likely to report access to affordable healthy food. Five percent of respondents reported lack of physical activity; respondents with a college education were more likely to report this. Four percent of respondents reported violence or crime as a top health issue. Respondents 45 to 54 years old were more likely to report violence or crime. Three percent of respondents reported tobacco use; respondents with a high school education or less or with a college education were more likely to report this. Three percent of respondents reported driving problems/aggressive driving/drunk driving; respondents who were male, 18 to 34 years old, with some post high school education, in the bottom 40 percent household income bracket or unmarried respondents were more likely to report this. Three percent of respondents reported environmental issues as a top health issue.